















- [11] R. A. Khot, J. Lee, D. Aggarwal, L. Hjorth, and F. Mueller, "Tastybeats: Designing palatable representations of physical activity," in *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems*. ACM, 2015, pp. 2933–2942.
- [12] M. Patel, D. Asch, R. Rosin, and et al, "Framing financial incentives to increase physical activity among overweight and obese adults: A randomized, controlled trial," *Annals of Internal Medicine*, vol. 164, no. 6, pp. 385–394, 2016. [Online]. Available: [+http://dx.doi.org/10.7326/M15-1635](http://dx.doi.org/10.7326/M15-1635)
- [13] L. B. Meyer, *Emotion and meaning in music*. University of Chicago Press, 2008.
- [14] C. Karageorghis and P. Terry, "The psychophysical effects of music in sport and exercise: A review," *Journal of Sport Behavior*, 1997.
- [15] H. Mohammadzadeh, B. Tartibiyani, and A. Ahmadi, "The effects of music on the perceived exertion rate and performance of trained and untrained individuals during progressive exercise," vol. 6, no. 1, jan 2008.
- [16] J. W. Newbold, N. Bianchi-Berthouze, N. E. Gold, A. Tajadura-Jiménez, and A. C. Williams, "Musically informed sonification for chronic pain rehabilitation: Facilitating progress & avoiding over-doing," in *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems*, ser. CHI '16. New York, NY, USA: ACM, 2016, pp. 5698–5703. [Online]. Available: <http://doi.acm.org/10.1145/2858036.2858302>
- [17] G. D. Myer, A. M. Kushner, J. L. Brent, B. J. Schoenfeld, J. Hugentobler, R. S. Lloyd, A. Vermeil, D. A. Chu, J. Harbin, and S. M. McGill, "The back squat: A proposed assessment of functional deficits and technical factors that limit performance," *Strength and conditioning journal*, vol. 36, no. 6, p. 4, 2014.
- [18] R. Hale, J. Hausselle, and R. V. Gonzalez, "Impact of error sonification auditory feedback for neuromuscular training across two degrees of freedom," in *Proceedings of the Annual American Society of Biomechanics, 2015*.
- [19] K. Oakes, K. A. Siek, and H. MacLeod, "Muscle-Memory: identifying the scope of wearable technology in high intensity exercise communities," pp. 193–200, May 2015. [Online]. Available: <http://dl.acm.org/citation.cfm?id=2826165.2826193>
- [20] J. Yang and A. Hunt, "Real-time auditory feedback of arm movement and EMG in biceps curl training to enhance the quality," in *SoniHED- Conference on Sonification of Health and Environmental Data*, York, U.K, 2014.
- [21] A. Tajadura-Jiménez, M. Basia, O. Deroy, M. Fairhurst, N. Marquardt, and N. Bianchi-Berthouze, "As light as your footsteps: altering walking sounds to change perceived body weight, emotional state and gait," pp. 2943–2952, 2015.
- [22] R. J. Sonstroem and W. P. Morgan, "Exercise and self-esteem: rationale and model." *Medicine and science in sports and exercise*, vol. 21, no. 3, pp. 329–37, 1989. [Online]. Available: <http://www.ncbi.nlm.nih.gov/pubmed/2659918>
- [23] C. Shieh, M. T. Weaver, K. M. Hanna, K. Newsome, and M. Mogos, "Association of self-efficacy and self-regulation with nutrition and exercise behaviors in a community sample of adults," *Journal of community health nursing*, vol. 32, no. 4, pp. 199–211, 2015.
- [24] K. Mercer, M. Li, L. Giangregorio, C. Burns, and K. Grindrod, "Behavior change techniques present in wearable activity trackers: a critical analysis," *JMIR mHealth and uHealth*, vol. 4, no. 2, 2016.
- [25] N. Notthoff and L. L. Carstensen, "Promoting walking in older adults: Perceived neighborhood walkability influences the effectiveness of motivational messages," *Journal of Health Psychology*, 2014. [Online]. Available: <http://dx.doi.org/10.1177/1359105315616470>
- [26] R. Hurling, M. Catt, M. De Boni, B. Fairley, T. Hurst, P. Murray, A. Richardson, and J. Sodhi, "Using internet and mobile phone technology to deliver an automated physical activity program: randomized controlled trial," *Journal of medical Internet research*, vol. 9, no. 2, p. e7, 2007.
- [27] M. Leman, *Embodied music cognition and mediation technology*. MIT Press, 2008.
- [28] L. M. Zbikowski, "Music, language, and multimodal metaphor," *Multimodal metaphor*, pp. 359–381, 2009.
- [29] N. Komeilipoor, M. W. M. Rodger, C. M. Craig, and P. Cesari, "(dis-)harmony in movement: effects of musical dissonance on movement timing and form," *Experimental Brain Research*, vol. 233, no. 5, pp. 1585–1595, 2015. [Online]. Available: <http://dx.doi.org/10.1007/s00221-015-4233-9>
- [30] P. Polotti, D. Rocchesso, and D. R. Editors, *Sound to Sense , Sense to Sound A State of the Art in Sound and Music Computing*, 2008. [Online]. Available: <http://smcnetwork.org/public/S2S2BOOK1.pdf>
- [31] E. Bigand, "Perceiving musical stability: The effect of tonal structure, rhythm, and musical expertise." ...of *Experimental Psychology: Human Perception and ...*, 1997. [Online]. Available: <http://psycnet.apa.org/journals/xhp/23/3/808/>
- [32] D. Sears, W. E. Caplin, and S. McAdams, "Perceiving the classical cadence," *Music Perception: An Interdisciplinary Journal*, vol. 31, no. 5, pp. 397–417, 2014.
- [33] R. I. Wallis, T. Ingalls, T. Rikakis, L. Olsen, Y. Chen, W. Xu, and H. Sundaram, "Real-time sonification movement for an immersive stroke rehabilitation environment," in *Proceedings of the 13th International Conference on Auditory Display (ICAD 2007)*, 2007, pp. 497–503. [Online]. Available: <http://www.icad.org/node/2460>
- [34] E. G. Schellenberg, E. Bigand, B. Poulin-Charronnat, C. Garnier, and C. Stevens, "Children's implicit knowledge of harmony in Western music." *Developmental science*, vol. 8, no. 6, pp. 551–66, Nov. 2005. [Online]. Available: <http://www.ncbi.nlm.nih.gov/pubmed/16246247>